



**MOHM CHEMICAL SDN. BHD.** (Co. No. 276851-U)

**MCX MARKETING SDN. BHD.** (Co. No. 363532-T)

H.Q. : No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor, Malaysia.  
Tel: (60) 7 333 1222 Fax: (60) 7 332 0545/ 333 7919

Branch: No. 43, Jalan Tambur 33/19, Sek. 33, Shah Alam Technology Park,  
40400 Shah Alam, Selangor, Malaysia.

Tel: (60) 3 5124 0876/ 5124 0878 Fax: (60) 3 5124 0877

Email: info@mochem.com Website: www.mochem.com/ www.xtraseal.com

## TECHNICAL DATA SHEET

### x'traseal® SUPER GLUE

#### DESCRIPTION:

**x'traseal®** SUPER GLUE IS A CYNOACRYLATE ADHESIVE THAT SET WITHIN SECONDS TO FORM A STRONG BOND ON MOST OF THE SMOOTH SURFACE. IT WORKS WELL ON BOTH POROUS AND NON-POROUS MATERIALS. THE ADHESIVE CAN BE USE TO BOND MOST OF THE METAL, WOOD, RUBBERS, PLASTICS, LEATHER, CERAMICS, GLASS AND FABRIC.

#### FEATURES:

- ◆ EASY TO APPLY.
- ◆ FAST SETTING WITHIN SECONDS.
- ◆ STRONG BONDING STRENGTH, ESPECIALLY ON SMOOTH SURFACE WITHOUT GAP.
- ◆ COST SAVING.

#### USES:

BONDING MOST OF THE METALS, WOOD, RUBBERS, PLASTICS, LEATHER, CERAMICS, GLASS AND FABRIC.

OLD GLUE MUST BE REMOVED FROM SURFACES TO ENHANCE BONDING.

FORM A VERY STRONG BONDING ON SMOOTH SURFACES WITHOUT GAP.

#### LIMITATIONS:

NOT USE FOR: AREAS OF CONSTANT WATER IMMERSION.

NOT FOR: PE, PP, PTFE AND BITUMINOUS SURFACE.

#### APPLICATION:

- ◆ SURFACE MUST BE CLEAN, DRY AND FREE FROM GREASE AND OLD GLUE.
- ◆ MASK SMOOTH SURFACE TO SIMPLIFY CLEAN UP.
- ◆ APPLY TO ONE SURFACE ONLY.
- ◆ APPLY SUITABLE PRESSURE ON BONDING SUBSTRATES.
- ◆ CLEAN OFF EXCESS ADHESIVE WITH ACETONE.

#### CURING TIME:

CONTACT ADHESIVE WILL BOND IN APPROXIMATELY 30 - 45 SECONDS UNDER ROOM TEMPERATURE.

#### SPECIFICATION:

APPEARANCE	CLEAR LIQUID.
ODOUR	PUNGENT SMELL.
SPECIFIC GRAVITY	1.05±0.05
VISCOSITY	100 CPS
APPLICATION TEMP.	-10°C TO 40°C
SERVICE TEMPERATURE	-10°C TO 60°C
SHELF LIFE	6 MONTHS @20°C



**MOHM CHEMICAL SDN. BHD.** (Co. No. 276851-U)

**MCX MARKETING SDN. BHD.** (Co. No. 363532-T)

H.Q. : No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor, Malaysia.

Tel: (60) 7 333 1222 Fax: (60) 7 332 0545/ 333 7919

Branch: No. 43, Jalan Tambur 33/19, Sek. 33, Shah Alam Technology Park,  
40400 Shah Alam, Selangor, Malaysia.

Tel: (60) 3 5124 0876/ 5124 0878 Fax: (60) 3 5124 0877

Email: [info@mochem.com](mailto:info@mochem.com) Website: [www.mochem.com/](http://www.mochem.com/) [www.xtraseal.com](http://www.xtraseal.com)

## TECHNICAL DATA SHEET

### **x'traseal<sup>®</sup> SUPER GLUE**

**CAUTION:**

SUPER GLUE BONDS SKIN AND EYES IN SECONDS.

UNCURED ADHESIVE MAY CAUSE SKIN, EYE AND RESPIRATORY SYSTEM IRRITATION.

USE ONLY IN WELL VENTILATED AREAS.

USE APPROPRIATE PERSONAL PROTECTION TO AVOID CONTACT WITH SKIN AND EYES.

IN CASE OF EYE CONTACT, FLUSH EYE IMMEDIATELY WITH RUNNING WARM WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION IMMEDIATELY.

IN CASE OF SKIN CONTACT, WASH AFFECTED AREAS WITH SOAP THEN FLUSH WITH WARM WATER.

FOR FURTHER HEALTH AND SAFETY INFORMATION CONSULT THE CURRENT MATERIAL SAFETY DATA SHEET.

